

PHOX[®]TON

TRUST STAYS *Where Quality Stays*



SURGICAL DIODE LASER MACHINE

For Proctology, Varicose Vein (EVLT/EVLA), ENT, Cosmetic Gynecology, Liposuction, Diabetic Foot, Pain Management & PLDD

SINGLE WAVELENGTH

15W/980nm | 15W/1470nm


DUAL WAVELENGTH

12W/1470nm + 12W/980nm
15W/1470nm + 200mw/650nm

Key Features



- Heavy Duty PST (Power Stable Technology) Diode Laser With Good Conversion Ratio
- Most Stable Heat Sink To Work In Indian Temperature
- SMA 905A Connector For Laser Fiber - Radial, Conical & Bare Fiber
- No Fiber Locking System
- Highly Efficient Cutting & Coagulation
- Inbuilt Auto Cooling System
- 8" Touch Screen With Pre-Programmed
- User Friendly Customizable User Interface
- Wireless Cum Wired Foot Switch
- Lifetime Technical Support



PHOXTON [®] CONFIGURATION	APPLICATIONS				
	PROCTOLOGY	EVLT/EVLA	MICRO SURGERY	BIO MODULATION	AESTHETIC
980 nm	✓	✓	✓ ✓ ✓		✓
1470 nm	✓ ✓	✓ ✓	✓		✓
1470 nm + 650 nm	✓ ✓	✓ ✓	✓	✓ ✓ ✓	✓ ✓
1470 nm + 980 nm	✓ ✓ ✓	✓ ✓	✓ ✓ ✓		✓ ✓

✓ Standard ✓ ✓ Gold ✓ ✓ ✓ Platinum


- Minimal Invasive
- Less Bleeding & Less Trauma
- Day Care Procedure




Laser Treatments



Hemorrhoids




Fissure



Fistula



Cosmetic Gynecology



Varicose Vein (EVLTV/EVLA)



Liposuction



Pilonidal Sinus



ENT



PLDD



Diabetic Foot



Pain Therapy

Specifications

Model	15W/980nm	15W/1470nm	15W/1470nm + 200mw/650nm	12W/1470nm + 12W/980nm
Laser Type	Diode, Semiconductor	Diode, Semiconductor	Diode, Semiconductor	Diode, Semiconductor
Wavelength	980nm	1470nm	1470nm + 650nm	1470nm + 980nm
Maximum Power	15W	15W	15W + 200mw	12W + 12W
Aiming Beam	650nm / 3mW	650nm / 3mW	650nm / 3mW	650nm / 3mW
Fiber Connector Type	SMA 905A	SMA 905A	SMA 905A	SMA 905A
Operating Mode	Continuous & Pulse	Continuous & Pulse	Continuous & Pulse	Continuous & Pulse
Pulse Time	0.025ms - 900ms	0.025ms - 900ms	0.025ms - 900ms	0.025ms - 900ms
Display	8" TFT With Touch	8" TFT With Touch	8" TFT With Touch	8" TFT With Touch
Footswitch	Wireless Cum Wired	Wireless Cum Wired	Wireless Cum Wired	Wireless Cum Wired
Laser Safety Class	IV	IV	IV	IV
Electric Safety Class	I Type B	I Type B	I Type B	I Type B
Input Voltage	DC 12V - 19V	DC 12V - 19V	DC 12V - 19V	DC 12V - 19V
Output Power	0.5 ~ 15W Adjustable	0.5 ~ 15W Adjustable	0.5 ~ 15.2W Adjustable	0.5 ~ 24W Adjustable

- Rapid Recovery
- Scarless Treatment
- Return To Daily Routine Immediately

STANDARD ACCESSORIES



Straight Hand Piece



Curved Hand Piece



Radial Fiber



Conical Fiber



Bare Fiber



Wireless Cum Wired
Foot Switch



Carrying Case



Safety Goggles



Fiber Cutter & Stripper

&

Interlock Key | Power Cable | Varicose Vein Kit | Proctoscope | Patient Eye Wear | Fiber Stand

OPTIONAL ACCESSORIES



LVR/LVT Probe



SUI Probe



Liposuction Set



Diabetic Foot Probe



Pain Therapy Probe



✉ info@xabiaq.com

🌐 www.xabiaq.com

📍 AHMEDABAD | SURAT